

Corrigendum to “Dietary oxidized linoleic acid lowers triglycerides via APOA5/APOCIII dependent mechanisms” [Atherosclerosis 199 (2) (2008) 304–309]


M. Garelnabi^{a,*}, K. Selvarajan^a, D. Litvinov^a, N. Santanam^b, S. Parthasarathy^a

^a Division of Cardiothoracic Surgery, N-850 Doan Hall, 410 W 10th Avenue, Ohio State University, Columbus, OH, 43210-1292, USA

^b Department of Pharmacology, Joan C Edwards School of Medicine, Marshall University, Huntington, WV, USA

In the above article, the Western blot (WB) image for PPAR-alpha in Fig. 1 is incorrect. The original, correct WB image cannot be retrieved, therefore, the image is omitted. Fig. 1 is updated as shown below. The authors apologize for this mistake.

Fig. 1. PPAR α gene expression. Mice PPAR α gene expression has not shown significant difference between the control and 13-HPODE fed mice.



DOI of original article: <https://doi.org/10.1016/j.atherosclerosis.2007.12.026>.

* Corresponding author.

E-mail addresses: mahdi_o@hotmail.com (M. Garelnabi), spartha@osumc.edu (S. Parthasarathy).

<https://doi.org/10.1016/j.atherosclerosis.2023.02.003>